



# CHAMELEON LIGHTING



## CONTEMPORARY LENS CLADDING KITS

CATALOG NUMBER: \_\_\_\_\_

TYPE: \_\_\_\_\_

JOB NAME: \_\_\_\_\_

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



## PRODUCT SPECIFICATION

STYLE	SIZE	FINISH	LIGHTING ELEMENT
<input type="checkbox"/> CL	<input type="checkbox"/> SV2-14 for 14" Surface Fixture <input type="checkbox"/> SV2-22 for 22" Surface Fixture <input type="checkbox"/> WC8 for Wall/Ceiling Fixture	<input type="checkbox"/> W White Acrylic	<b>**CHOOSE LIGHT ENGINE SPECIFICS ON NEXT PAGE</b>

Grayed areas are codes for creating your lighting specification  
**Example Product Spec. - CL-SV2-14-W**

10 Strecker Rd. / Ellisville, MO 63011 / Ph. (888) 896-2101 / Fax (888) 896-2101 / info@chameleonltg.com

[WWW.CHAMELEONLTG.COM](http://WWW.CHAMELEONLTG.COM)

Specifications subject to change without notice.

**MADE  
IN THE USA**

CATALOG NUMBER: \_\_\_\_\_

TYPE: \_\_\_\_\_

JOB NAME: \_\_\_\_\_

NOTES: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## WALL/CEILING SERIES



- 0-10V + Triac Dimming  
350 mA (9W, 1000lm) or 600mA (17W, 2000lm)
- ETL for US and Canada, Suitable for listed damp location
- 5 Year Full Warranty
- Dims to 1%
- 120~277V
- *For full product details see WC8 cut sheet*

## PRODUCT SPECIFICATION

FAMILY	DRIVER	COLOR TEMPERATURE	CRI
<input type="checkbox"/> WC8	<input type="checkbox"/> 350	350 mA	<input type="checkbox"/> 8 >80 CRI
	<input type="checkbox"/> 600	600 mA	
	<input type="checkbox"/> 27	2700K	
	<input type="checkbox"/> 30	3000K	
	<input type="checkbox"/> 35	3500K	
	<input type="checkbox"/> 40	4000K	

## SV2 SERIES



- 14" and 24" Sizes
- 30 Watt 3000 Lumens, 50 Watt 5000 Lumens
- TUNABLE WHITE LED 2200K – 6500K
- Constant light output for each color temperature
- 82 CRI Standard
- Wireless control of dimming (to 1%) and color temperature (100 degree increments)
- HMI REMOTE SOLD SEPERATELY, SEE SV2 INDIVIDUAL SPECIFICATION PAGE
- Timeclock function
- Programmable via Bluetooth APP to IOS or Android
- Fixed color available by selector switch\* (0-10v dimming)
- ETL USA AND CA LISTED FOR DAMP LOCATION
- 5 Year warranty
- *See accessories page for other mounting options*
- *For full product details see SV2 cut sheet*

## PRODUCT SPECIFICATION

FAMILY	COLOR TEMP.*	CRI
<input type="checkbox"/> SV2-14	<input type="checkbox"/> CT 2200K - 6500K	<input type="checkbox"/> 8 >80
<input type="checkbox"/> SV2-22	<input type="checkbox"/> 30 3000K	
	<input type="checkbox"/> 35 3500K	

\*HMI Wireless remote control accessory necessary for tunable fixtures



# CHAMELEON LIGHTING

CATALOG NUMBER: \_\_\_\_\_

TYPE: \_\_\_\_\_

JOB NAME: \_\_\_\_\_

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## SV2 SERIES MOUNTING ACCESSORIES



### CABLE CONVERTER KIT FOR SV2 FIXTURES

- 3 CABLE, CABLE PUCK KIT
- 1/16" GALVANIZED CABLE WITH CAPTIVE PADDLE AND HALF BALL ENDS
- 50" ADJUSTABLE CABLES
- WHITE POWER CORD



### STEM CONVERTER KIT FOR SV2 FIXTURES

- 45 DEGREE SWIVEL
- 1/2" WIDTH
- 24" LENGTH
- CONSULT FACTORY FOR OTHER LENGTHS

## PRODUCT SPECIFICATION

STYLE	SIZE	FINISH
<input type="checkbox"/> SCK <input type="checkbox"/> CCK	<input type="checkbox"/> SV2 For SV2 Fixtures	<input type="checkbox"/> W White <input type="checkbox"/> B Black <input type="checkbox"/> S Silver

**\*\*CCK ONLY AVAILABLE IN SILVER**

Grayed areas are codes for creating your lighting specification  
**Example Product Spec. - SCK-SV2-W**

10 Strecker Rd. / Ellisville, MO 63011 / Ph. (888) 896-2101 / Fax (888) 896-2101 / [info@chameleonltg.com](mailto:info@chameleonltg.com)

[WWW.CHAMELEONLTG.COM](http://WWW.CHAMELEONLTG.COM)

Specifications subject to change without notice.

**MADE  
IN THE USA**